

Wavelength Distribution
UK Suggested Retail Price List - July 2011

Supra Cables and Connectors – NEW PRODUCTS

The following NEW products are being introduced as from 1st July 2011.

CAT 7+Network cables – available as factory-terminated and fitted with GG45 style connectors, or supplied unterminated on the reel.

HD5 HDMI+Ethernet cables – available factory-fitted with either standard HDMI or Supra's own Met S/B user-detachable HDMI housings and in both standard and Halogen Free insulation.

Rondo 4x1.6HT – a new low-cost tin-plated OFC bi-wire speaker cable, supplied unterminated, making it suitable for both domestic, automotive, marine and commercial applications and now available using Halogen Free insulation.

Classic 4.0HT – the ORIGINAL low-loss, 4 sq mm multi-conductor OFC speaker cable, which can be used domestically or in cars/trucks/vans - now available using Halogen Free insulation especially for commercial environments.

Quadrax speaker cables – available as 4x 2.0 sq mm conductors, factory terminated with Banana/BFA or Spade connectors, or as unterminated cable on the reel.

SPECIAL OFFER:

HF100 HDMI/DVI cable available “off the drum” for just £4.00 (inc VAT) per metre - optional DVI connectors available.....

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - July 2011

CAT7+ Network cables

This is a very wide bandwidth Ethernet cable, fitted with high grade GG45 type connectors, which are plug compatible with existing RJ45 connectors. Connection is an 8P type – meaning that all 4 twisted pairs are utilised to ensure maximum bandwidth.

Length	1m	2m	3m	4m	5m	6m	8m	10m	12m	15m	20m	per m
SRP	30.00	35.00	40.00	45.00	50.00	55.00	65.00	75.00	85.00	100.00	125.00	5.00

Digital Video cables – HDMI and DVI

HD5 is Supra's next generation design of Digital Video cable, available with HDMI connectors and capable of carrying digital video signals AND network connectivity.

** NEW** HIGH SPEED HDMI+Ethernet Met S/B cable – SPECIAL INTRODUCTORY PRICES

This NEW cable features Low Smoke Halogen-Free insulation and features: Supra "Guaranteed" 1080p resolution, factory-fitted with 2x straight removable housings and supplied with extra 1x "bent" housing plus draw-through braid.

Length	1m	2m	3m	4m	5m	6m	8m	10m	12m	15m	per m
SRP	74.00	82.00	90.00	98.00	106.00	114.00	130.00	146.00	162.00	186.00	8.00

HF100 is Supra's own in-house design of Digital Video cable, available with either HDMI and/or DVI-D connectors and capable of carrying digital video signals up to 1080p resolution.

** NEW** Fire-retardant version – with Met-S/B connectors

The HF100/H cable is a Low Smoke cable designed for domestic and commercial applications and complies with ECCOH 5995.

Length	1m	2m	3m	4m	5m	6m	8m	10m	12m	15m	per m
SRP	74.00	82.00	90.00	98.00	106.00	114.00	130.00	146.00	162.00	186.00	8.00

Installer-friendly HIGH SPEED (v1.4) HDMI<->HDMI Met-S/B cable

The Met-S/B version is a HIGH SPEED HDMI cable, that features: Supra "Guaranteed" 1080p resolution, factory-fitted with 2x straight removable housings and supplied with extra 1x "bent" housing plus draw-through braid. The detachable housing allows the cable to be drawn through standard conduit.

Length	1m	2m	3m	4m	5m	6m	8m	10m	12m	15m	per m
SRP	68.00	75.00	82.00	89.00	96.00	103.00	117.00	131.00	146.00	167.00	7.00

Standard HIGH SPEED (v1.4) HDMI cable

The HF100 cable is also available using standard non-detachable HDMI connectors, whilst still complying with the High Speed specification, carries up to 1080p resolution and is ATC approved. What Hi-Fi 5* winner (Feb '08).

The following prices apply to HDMI<->HDMI, HDMI<->DVI-D and DVI-D to DVI-D terminated cables.

Length	0.5m	1m	1.5m	2m	3m	4m	5m	6m	8m	10m	12m	15m	per m
SRP	46.50	50.00	53.50	57.00	64.00	71.00	78.00	85.00	99.00	113.00	127.00	148.00	7.00

Please note the 0.5m and 1.5 m lengths are currently NOT available as HDMI<->DVI or DVI<->DVI.

Analogue Video cables

Supra manufacture a range of single, dual, and multiple core analogue co-axial cables, suitable for a wide range of uses, carrying composite video, s-video, component video, RGB, as well as audio, TV, FM and data control lines. Connectors that can be fitted include phono, BNC, scart, DVI, TV co-ax,

AnCo is Supra's entry level co-ax cable, featuring a silver plated OFC conductor core and can be supplied with phono, BNC, and TV/FM co-ax connectors. Prices shown below are for: phono to phono, TV co-ax (M-F) or TV co-ax (M-M)

Length	1m	2m	3m	4m	per m
SRP	36.00	42.00	48.00	54.00	6.00

Trico is Supra's triple shielded silver plated co-ax cable, suitable for high end installations, where quality counts. Trico can also be used as a digital audio cable. Trico is a What Hi-Fi 5* winner. Prices shown below are for: phono to phono, phono to BNC, phono to 3.5mm, phono to scart, BNC to BNC, BNC to phono

Length	1m	2m	4m	per m
SRP	50.00	60.00	80.00	10.00

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - July 2011

Component Video cables.

Three different component video cables are available: **AV3, AnCo and Trico**. AV3 and AnCo are both What Hi-Fi 5* winners. **AV3** is available terminated as: 3 phono to 3 phono, 3 phono to 3 BNC, 3 BNC to 3 phono, 3 BNC to 3 BNC, 3 phono to scart, 3 phono to DVI or 3 phono to VGA. **AnCo and Trico** are available as: 3 phono to 3 phono, 3 phono to 3 BNC, 3 BNC to 3 phono or 3 BNC to 3 BNC.

AV3 features three very low capacitance and individually screened high quality, tin-plated, OFC conductors, sheathed within a flexible outer jacket. Suitable for long runs and available in a range of terminations. AV3 is a What Hi-Fi "Best Buy".

AV3 prices for: 3 phono to 3 phono, 3 phono to 3 BNC, 3 BNC to 3 phono, 3 BNC to 3 BNC, 3 phono to scart (RGsB), 3 phono to DVI or 3 phono to VGA

Length	1m	2m	3m	4m	5m	6m	7m	8m	10m	12m	15m		per m
SRP	65.00	72.00	79.00	86.00	93.00	100.00	107.00	114.00	128.00	142.00			7.00

AnCo component video prices for: 3 phono to 3 phono, 3 phono to 3 BNC, 3 BNC to 3 phono, 3 BNC to 3 BNC

Length	1m	2m	3m		per m
SRP	92.00	110.00	146.00		18.00

Trico component video prices for: 3 phono to 3 phono, 3 phono to 3 BNC, 3 BNC to 3 phono, 3 BNC to 3 BNC

Length	1m	2m	3m		per m
SRP	135.00	165.00	195.00		30.00

S-Video cables

AV2 features two very low capacitance and individually screened high quality, tin-plated, OFC conductors, sheathed within a flexible outer jacket. Suitable for long runs and available in a range of terminations. Ideal for use with Apple iPod docks.

AV2 prices for: s-video to s-video

Length	1m	2m		per m	
SRP	42.00	48.00		6.00	

AV2 prices for: s-video to scart or for scart to s-video

Length	1m	2m		per m	
SRP	50.00	56.00		6.00	

Multi-conductor video cables

AV4 features four very low capacitance and individually screened high quality, tin-plated, OFC conductors, sheathed within a flexible outer jacket.

AV6.4 features six very low capacitance and individually screened high quality, tin-plated, OFC video conductors and four insulated shielded OFC audio conductors, sheathed within a stiff outer jacket.

AV4 and AV6 are suitable for long runs and available in a range of terminations, including phono, BNC, DB25, scart, s-video, DVI and VGA. Please note: We can make up "custom cables" featuring any combination of connectors and in any length – please enquire for more information.

AV4 prices for: 4 phono to Scart (RGB+Comp)

Length	1m			per m
SRP	80.00			9.00

AV4 prices for VGA to/from Scart RGsB/Component

Length	1m			per m
SRP	75.00			9.00

AV6.4 prices for scart to scart, wired for RGB, composite video and stereo audio (send/receive), 6 phono to or from DB25 connector (for older Arcam Xeta, Carver, Onkyo, Parasound and Rotel AV products that use DB25 sockets)

Length	1m	2m	3m	4m		per m
SRP	130.00	145.00	160.00	175.00		15.00

AV6.4 prices for 6 phono to 6 phono

Length	1m	2m		per m	
SRP	135.00	150.00		15.00	

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - July 2011

FS is a fully-wired scart cable available in a range of lengths. Perfect for use with Freeview, Freesat, Sky and Virgin Media set top boxes. What Hi-Fi 5* winner

Length	0.6m	1m	1.5m	2m	4m	
SRP	38.00	41.00	44.00	47.00	53.00	

Digital Audio cables

X-ZAC is a triple polished fibre optic cable available in ONE length only. Triple Polished. Metal body and metal tip for more secure connection. X-ZAC is a two-times What Hi-Fi "Best Buy" and a What Hi-Fi 5* winner.

ZAC (Zero Attenuation Concept) fibre optic cables are available in a number of lengths, perfect for CD, DVD and LaserDisc players.

ZAC are fitted with high quality metal body TosLink connectors. Metal Body. Hi-Fi Choice Bronze award winner.

X-ZAC prices for: toslink to toslink

Length	1m		
SRP	65.00		

ZAC prices for: toslink to toslink, mini-toslink to toslink, mini-toslink to mini-toslink

Length	1m	2m	4m	6m	8m	10m	15m	
SRP	36.00	44.00	60.00	76.00	92.00	108.00	148.00	

Please note: Mini-tos to toslink only available in lengths up to 4m, mini-tos to mini-tos only available in 1m length.

DAC-XLR XLR to XLR AES/EBU - For digital audio 110 ohm

DAC-XLR prices for XLR to XLR

Length	1m	2m		per m
SRP	45.00	52.00		7.00

Subwoofer cables

Y-Link and SubLink are a range of cables purpose designed for use with active subwoofers comprising phono to phono and phono to 2 phono cables.

Y-Link prices for: phono to 2 phono cables

Length	2m	4m	6m	8m	10m	12m	15m		
SRP	55.00	65.00	75.00	85.00	95.00	105.00	120.00		

Sublink prices are for phono to phono cables

Length	2m	4m	6m	8m	10m	12m	15m		
SRP	34.00	42.00	50.00	58.00	66.00	74.00	86.00		

Analogue audio cables

DUAL is an entry-level interconnect featuring a PE insulation and low capacitance, making it a good "all-rounder" to suit budget and mid-priced systems. What Hi-Fi 5* winner.

Dual prices for 2 phono to 2 phono.

Length	1m	2m	5m	
SRP	55.00	60.00	75.00	

Dual prices for: 5 phono to 5 phono

Length	1m	2m			
SRP	120.00	130.00			

DAC cable is a high quality OFC cable using PE foam insulation. DAC-X prices for 2 phono to 2 phono

Length	1m	2m		per m	
SRP	80.00	92.00		12.00	

EFF-I is our highly regarded silver-plated OFC cable available in four different terminated versions: EFF-IX, EFF-ISL, EFF-IRB and EFF-IXLR, depending on the type of connectors fitted.

EFF-IX prices for 2 phono to 2 phono - What Hi-Fi 5* winner

Length	0.75m	1m	1.5m	2m		per m	
SRP	82.50	90.00	POA	120.00		30.00	

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - July 2011

EFF-ISL prices for 2 phono to 2 phono (locking types) - Hi-Fi Choice "Best Buy"

EFF-IRB prices for 2 phono to 2 phono (angled types)

EFF-IXLR prices for 2 XLR to 2 XLR - Swift short body XLR plugs

Length	0.75m	1m	1.5m	2m		per m	
SRP	92.50	100.00	115.00	130.00		30.00	

BiLine For connecting iPod's, PC's, portable DAB radio's or Walkmans to Hi-Fi Systems.

BiLine prices for: 3.5mm mini-jack plug to 2 phono

Length	1m	2m	4m	8m	15m		
SRP	49.00	54.00	64.00	84.00	119.00		

BiLine prices for 3.5 mm to 3.5mm mini-jack plug

Length	1m	2m	4m	8m	15m		
SRP	POA	POA	POA	POA	POA		

MAINS CABLES

LoRad is a worldwide patented, CE-approved audio grade shielded mains cable, available "off the reel", using multi-stranded tin-plated OFC conductors. The cable is shielded via an aluminium foil screen, which is in "touching" contact with the semi-conductive insulation of the earth conductor. As such, there is NO NEED to connect the foil screen to the earth terminal, making termination a simple easy job, requiring no special tools or knowledge. Standard insulation colours are used: Brown (L), Blue (N) and Green/Yellow (E).

LoRad 1.5 is rated at up to 10 Amps, making it suitable for virtually all Home Consumer kit, excepting high output power amps or AV receivers. LoRad 2.5 is rated at up to 16 Amps and hence can be used both for big "monster" amplifiers, as well as for use with distribution blocks or as a dedicated spur from fuse box/distribution board to wall socket(s).

Please note: We DO NOT RECOMMEND that LoRad cable is laid inside walls or under floorboards, where it's presence CANNOT easily be detected by conventional mains cable "finders" (unless perhaps photo evidence is provided to ensure that owners KNOW where the cable has been installed).

Product	LoRad 1.5 Ice Blue	LoRad 2.5 Ice Blue	
Type	100m	50m	
SRP	10.00	15.00	
Notes	10 Amp capacity	16 Amp capacity	

LoRad is a range of affordable, CE-approved shielded mains power cables available factory-terminated with various approved mains connectors, or available unterminated on reels, to enable either DIY assembly (with any connector the customer chooses), or for use in re-wiring electrical spurs from consumer units, to dedicated sockets for hi-fi and/or AV systems or .

UK versions:

The LoRad 1.5 terminated cables combine a factory-terminated LoRad 1.5 Ice Blue cable, a 13A UK mains plug (featuring gold-plated pins) and the Supra SWF-10 IEC connector.

LoRad 1.5 13A UK to SWF-10 IEC factory terminated cable prices - Hi-Fi Choice "Bronze Award winner.

Length	1m	1.5m	2m	4m		per m	
SRP	48.00	53.00	58.00	78.00		10.00	

LoRad 2.5 kit combines a pre-prepared length of LoRad 2.5 with 13A UK mains plug and SWF-10 IEC connector supplied separately. This is NOT available factory-terminated, due to BS regulations, which state that the cable diameter must not exceed 1.5 sq mm....!! However, a KIT of parts IS available.

Length		1.5m	2m		per m		
SRP		56.50	64.00		15.00		

EUROPEAN versions:

LoRad 1.5 and LoRad 2.5 are also available with Supra's own Schuko connectors and a choice of either SWF-10 or SWF-16 IEC connectors.

LoRad 1.5 Schuko to SWF-10 IEC factory terminated cable prices

Length	1m	1.5m	2m	4m		per m	
SRP	54.00	59.00	64.00	84.00		10.00	

LoRad 2.5 Schuko to SWF-10 IEC or SWF-16 High Current IEC factory terminated cable prices

Length	1m	1.5m	2m	4m		per m	
SRP	59.00	66.50	74.00	104.00		15.00	

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - July 2011

Mains accessories

Product	LoRad SWF-10	LoRad SWF-16	LoRad SWF-16	BS-UK	LoRad SW-EU	LoRad SW-US	LoRad MCH-10
Type	IEC Connector	IEC Connector	IEC Connector	UK 13A	Schuko Connector	US Connector	IEC Chassis
SRP	12.00	12.00	14.00	10.00	14.00	14.00	3.00
Notes	Bulk packed only	Bulk-packed	Blister packed	13A UK Gold-plated Mains Plug	Bulk-packed	Bulk-packed	Bulk-packed

Supra LoRad 6 and 8 way Mains Distribution Blocks feature an all-aluminium shielded chassis, upon the top of which are inset 6 or 8 mains sockets. The /SP versions of the block features the Tommy Jenving designed 3-way Surge Protection System as well as Non-Intrusive Filtering, ensuring maximum reduction in spurious mains interference. Mains input is by way of a 3 pin IEC chassis mount connector. Please note. NO input cable is supplied with this item, leaving customers with a free choice as to the length of cable required to run from the wall socket to the mains block.

Mains Distribution Blocks – supplied WITHOUT cables

Product	LoRad MD06-BS/SP	LoRad MD06-EU Mk 11	LoRad MD06-EU/SP	LoRad MD08-16-EU/SMP		
Type	6x UK sockets	6x Schuko sockets	6x Schuko sockets	8x Schuko sockets		
SRP	150.00	120.00	140.00	230.00		
Notes	6 way UK mains block Surge-Protection built-in.	6 way EU mains block NO Surge-Protection.	6 way EU mains block featuring surge protection.	8 way EU mains block featuring surge protection on multiple outlets (power, aerial, modem)		

Mains Distribution Blocks – supplied WITH cable (suitable for wall to block)

Product	LoRad MD06-BS/SP	LoRad MD06-BS/SP	LoRad MD06-EU Mk 11	LoRad MD06-EU Mk 11	LoRad MD06-EU/SP	LoRad MD06-EU/SP
Type	6x UK sockets + 1.0m cable	6x UK sockets + 2.0m cable	6x Schuko sockets + 1.5m cable	6x Schuko sockets + 2m cable	6x Schuko sockets + 1.5m cable	6x Schuko sockets + 2m cable
SRP	178.00	188.00	179.00	184.00	199.00	204.00
Notes	Surge-Protection built-in.	Surge-Protection built-in.	NO Surge-Protection.	NO Surge-Protection.	Surge-Protection built-in.	Surge-Protection built-in.

Ground Separator products

Product	AGS-10k	GSB-TV	GSS-TV	GSS-F	
Type	RCA/Phono	co-ax TV – bent	co-ax TV – straight	F-type (for satellite/DAB)	
SRP	110.00	24.00	24.00	18.00	
Notes	Ground Separator - Analogue Humbuster to remove hum loops when connecting PC's, Mac's, media centres to hi-fi systems	Ground Separator – prevents ground issues between any active electronics (VCR's, STB's, amplified aerial systems, etc)	Ground Separator – prevents ground issues between any active electronics (VCR's, STB's, amplified aerial systems, etc)	Ground Separator – prevents ground issues between any active electronics (VCR's, STB's, amplified aerial systems, etc)	

HDMI accessories

Product	Met-B housing	SA90+	SA90-	
Type	HDMI	HDMI	HDMI	
SRP	7.00	18.00	18.00	
Notes	Spare "bent" housing for HDMI Met-S/B cables	Right-angle adaptor (turns cable to the LEFT if top of HDMI connector faces forward)	Right-angle adaptor (turns cable to the RIGHT if top of HDMI connector faces forward)	

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - July 2011

Supra Cables and Connectors

Ply Series Loudspeaker cables

Ply Series is a low resistance, multi-stranded cable using a proprietary Tin Plated Oxygen Free Copper mixture, of square section and low inductance. A shielded version of Ply 3.4 is now available, called the Ply 3.4/S. The new version uses three distinct Supra technologies tin-plating, RF shielding and low inductance. Only supplied in Ice Blue colour.

Product	Ply 2.0	Ply 3.4	Ply 3.4/S
Length on reel	100m	100m	100m
SRP	6.50	8.00	10.00
Notes		Hi-Fi Choice "Recommended"	Shielded version of Ply 3.4 Hi-Fi Choice "Recommended"

Classic Series Loudspeaker cables

Classic cables are made from multi-stranded >5N purity Tin-plated Oxygen Free Copper. An ion-stable PVC outer jacket minimises corrosion whilst remaining extremely flexible. Ideal for longer runs as cable resistance is amongst the lowest in it's class. The Classic 1.6HT, 2.5HT and 4.0HT versions use *Halogen Free insulation*, making it flame-proof and highly suitable for multi-room installation.

Product	1.6HT	2.5T	2.5HT	4.0T	4.0HT	6.0T
Length on reel	300m	200m	200m	100m	100m	100m
SRP	2.50	3.50	4.00	5.50	6.00	8.00
Notes						

Rondo Series Loudspeaker cables

Rondo 2x2.5T is the single wired version of the popular Rondo 4x2.5, and is suitable for wiring budget or mid-range hi-fi and AV systems using high quality Tin-plated OFC conductors, in a single robust outer jacket.

Product	Rondo 2x2.5T Ice Blue	Rondo 2x2.5T Anthracite
Length on reel	100m	100m
SRP	6.00	6.00
Notes		

Rondo 4x1.6/HT, 4x2.5T and Rondo 4x4T are for bi-wiring a wide range of low, medium or high power systems (based on cable thickness), and combine the strengths of Supra's Tin-plated OFC cables, in a single robust outer jacket.

Product	Rondo 4x1.6/HT Ice Blue	Rondo 4x1.6/HT Anthracite	Rondo 4x2.5T Ice Blue	Rondo 4x2.5T Anthracite	Rondo 4x4T Ice Blue	Rondo 4x4T Anthracite
Length on reel	100m	100m	75m	75m	50m	50m
SRP	6.00	6.00	8.50	8.50	12.00	12.00
Notes	Halogen Free	Halogen Free	What Hi-Fi "Best Buy" What Hi-Fi 5* winner.	What Hi-Fi "Best Buy" What Hi-Fi 5* winner.		

Linc Series Loudspeaker cables

Linc Series is a shielded speaker cable, designed to minimise the effects of external interference on the sound quality, as well as preventing electro-magnetic radiation from the speaker cable affecting low level cables, close to the amplifier.

Product	Linc 2x2.5 Ice Blue	Linc 2x4.0 Ice Blue
Length on reel	100m	100m
SRP	6.00	8.00
Notes		

JenTech Sky 11 Economy Speaker cables

Multi-stranded copper OFC. Highly suitable for use as a "freebie" cable or for supplying with budget systems. We provide guide retail prices, as most retailers will usually use these as high quality "get you going" cables for inclusion in complete system packages.

Product	Sky 11 1.6mm White or Transparent	Sky 11 2.5mm White or Transparent	Sky 11 4.0mm White or Transparent
Length on reel	200m	200m	100m
SRP (guide only)	1.75 - 2.50	2.75-3.50	4.25-5.00
Notes			

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - July 2011

Supra Cables and Connectors

Quadrax Loudspeaker cables

Quadrax is the NEW High End speaker cable from Supra, but at an affordable price. Available "off the reel" or in factory terminated pairs, and supplied with CombiCon Banana/BFA and spade connectors, this new bi-wire or bi-amp cable features: 4x 2mm tin-plated OFC conductors in "STAR-QUAD" configuration, PP insulation, short pitch twisting for low inductance

Product	Quadrax bi-wire (2-4)	Quadrax bi-wire (2-4)	Quadrax bi-wire (2-4)	per extra stereo metre
Type	2m	3m	4m	
SRP	180.00	230.00	280.00	50.00
Notes				

Product	Quadrax bi-amp (4-4)	Quadrax bi-amp (4-4)	Quadrax bi-amp (4-4)	per extra stereo metre
Type	2m	3m	4m	
SRP	210.00	260.00	310.00	50.00
Notes				

Sword Loudspeaker cables

Supra Sword is a new ZERO INDUCTANCE speaker cable, available as a pair of factory terminated cables and available in a lavish Mahogany presentation box.

Hi-Fi Plus "Product of the Year". Hi-Fi Choice "Editors Choice".

Product	Sword	Sword	Sword	Sword	Sword	per extra stereo metre
Type	Jumpers 28cm	2m pair	3m pair	4m pair	5m pair	
SRP	200.000	560.00	740.00	920.00	1100.00	180.00
Notes	Fixed Spades	Fixed spades (OR CombiCon to order)	Fixed spades (OR CombiCon to order)	Fixed spades (OR CombiCon to order)	Fixed spades (OR CombiCon to order)	

Sword Interconnect cables

Sword ISL & IXLR are a new high-end audio interconnect, designed to celebrate Supra's 30th Anniversary of audio cable production. It is a ZERO INDUCTANCE 2-channel cable designed to complement the award winning Sword Speaker cables.

Available as a pair of factory terminated cables, fitted with either locking phono or XLR connectors and supplied in a lavish 30th Anniversary Mahogany presentation box.

Hi-Fi Choice "Editors Choice".

Product	Sword-ISL 2 phono to 2 phono	Sword-ISL 2 phono to 2 phono	Sword-ISL 2 phono to 2 phono	per extra stereo metre
Type	0.8m	1.0m	1.5m	
SRP	425.00	455.00	560.00 (inc £30 special order fee)	150.00
Notes				

Product	Sword-IXLR 2 XLR to 2 XLR	Sword-IXLR 2 XLR to 2 XLR	Sword-IXLR 2 XLR to 2 XLR	per extra stereo metre
Type	0.8m	1.0m	1.5m	
SRP	465.00	495.00	600.00 (inc £30 special order fee)	150.00
Notes				

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - July 2011

Supra Cables and Connectors

Product	Terminations Fitted	Packs		Suggested Retail Price (inc VAT)	Notes:
CombiCon connectors feature separate body and connector parts, enabling quick changeover. The CombiCon Banana plug is a rear entry combination banana/BFA connector. CombiCon Spade can be used with binding posts up to 9mm diameter. Both are machined from 24k gold-plated copper. Cable diameters up to 6mm allowed.					
CombiCon	Banana/BFA (complete)	4pc /pk		36.00 /pk	
	Spade (complete)	4pc /pk		36.00 /pk	
	Kit	4pc /pk		44.00 /pk	Contains: 4 bodies, 4 banana/BFA and 4 spades
	Banana/BFA (tips only)	50pc /pk		2.00 /pc	Tip only
	Spade (tips only)	50pc /pk		2.00 /pc	Tip only
	Body (only)	100 pc		6.50 /pc	Body only
	Assortment	200 pc		8.50 /pc	Contains: 100 bodies, 50 banana/BFA and 50 spades
Side/Rear entry 24k gold-plated copper banana/BFA plug for cable diameters up to 10mm diameter.					
Ban	Banana/BFA plugs	4pc /pk		28.00 /pk	
		100 pc		26.00 /pr	
The gold-plated copper Fork connectors and the larger Fork XL's accept cables up to 10mm diameter.					
Fork	spades	4pc /pk 200 pc		22.00 /pk 4.50 /ea	For binding posts up to 5.5mm diameter
Fork XL	spades	4pc /pk 200 pc		22.00 /pk 4.50 /ea	For binding posts up to 6.5mm diameter
Boxcon	Chassis connector	2pc /pk		36.00	A fully insulated chassis mount binding post. For cabinet walls up to 29mm deep.
A range of line level connectors:					
ACON	FM/TV Co-Ax connector	ea		7.00	Male, 6mm cable entry
		ea		7.00	Female, 6mm cable entry
BNC-3	BNC plug	pr		10.00	3mm cable entry (AV2/AV3/AV6)
BNC-8	BNC plug	pr		26.00	8mm cable entry (Trico)
RCA-3	phono plug	pr		14.00	3mm cable entry
RCA-6	phono plug	pr		14.00	6mm cable entry
PPX	phono plug	pr		22.00	8.5mm cable entry
PPRB	phono plugs	pr		26.00	Bent type
PPSL	phono plug	pr		28.00	Lockable, 7.5mm cable entry
Swift XLR	1x Male/1x Female	pack		21.00	7.5mm cable entry
MP-8	3.5mm stereo mini-plug	ea		10.00	8mm cable entry
DB25M	25 pin D connector	ea		POA	Male, 11mm cable entry (AV6.4)
DB25F	25 pin D connector	ea		POA	Female, 11mm cable entry (AV6.4)
GG45	Ethernet jack plug	ea		4.00	For CAT7+ cable
VGA-8	15 pin HD D-sub	ea		POA	8mm cable entry (AV3)
VGA-11	15 pin HD D-sub	ea		12.00	11mm cable entry (AV6)
Scart plug		ea		14.00	Metal body, angled exit
SVHS-7	s-video plug	ea		7.50	7mm cable entry
SVHS-11	s-video plug	ea		POA	11mm cable entry
DVI-I plug	24+5 pins	ea		18.00	11mm cable entry (HF100)
DVI-D plug	18+1 pins	ea		18.00	11mm cable entry (HF100)
Adaptor	HDMI (F) to DVI (M)	ea		POA	Converts HDMI cable to fit DVI socket
Adaptor	DVI (F) to HDMI (M)	ea		POA	Converts DVI-D cable to fit HDMI socket

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - July 2011

Supra Cables and Connectors

Product	Cable Type	Lengths		Suggested Retail Price /m (inc VAT)	Notes:
Analogue Video Cables					
AnCo	Co-axial, single shield	150m		6.00	Can be used for TV/FM co-ax cable, or as a digital co-ax audio cable or for carrying composite or component video
Trico	Co-axial, double shield	50m		10.00	Co-axial cable can be as a digital co-ax audio cable or for carrying composite or component video
AV2	Two core	100m		6.00	Two internal cores within one outer sheath for s-video or 2 channel audio
AV3	Three core	100m		7.00	Three internal cores within one outer sheath for RGsB or component video
AV4	Four cores	100m		9.00	Four internal cores within one outer sheath for RGsB or component video
AV6.4	6x video + 4x audio multi-way	50m		15.00	Ten internal cores, 6 shielded video cables surrounding 4 audio cores
Digital Video Cables					
HF100	digital video cable	50m		7.00	Suitable for making DVI cables "on site"
Audio Cables					
MBS	microphone cable	150m		3.50	Per reel only
DUAL	audio cable	100m		5.00	Per reel only
DAC	audio cable	50m		6.00	
EFF-I	audio cable	50m		15.00	Silver plated OFC
Digital Audio Cables					
AnCo	digital audio cable	150m		6.00	Silver plated OFC
Trico	digital audio cable	50m		10.00	Silver plated OFC, triple shielded
Network Cables					
CAT7+		300m		5.00	
Mains Power Cables					
LoRad 1.5	1.5 sq mm, Ice Blue	100m		10.00	10 Amp capacity
LoRad 2.5	2.5 sq mm	50m		15.00	16 Amp capacity

Some of the above cables can be supplied "off the reel" as required – please call for availability.

See [www . supracables . co . uk](http://www.supracables.co.uk) for more details.

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: [sales @ wavelength-distribution.com](mailto:sales@wavelength-distribution.com) www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - July 2011

S.R.P
(inc. VAT)/£

Bocchino Audio Connectors

The Bocchino Audio connectors are amongst the finest in the world, and are machined from 99.994% High Conductivity Oxygen Free Copper, ensuring the best possible signal transfer characteristic.

Brenda B7/S phono plugs Features: Short version of B7. Single cavity slot for cables, 11mm cable entry diameter, single outer shell design. Silver plated only	109.00 /pair
Brenda B7 phono plugs Features: Twin cavity slots for cables, 11mm cable entry diameter, single outer shell design. Silver plated only	119.00 /pair
Brenda B9 phono plugs Features: Twin cavity slots for cables, 13mm (outer), 11mm (inner) cable entry diameter, Lockable "ClawLock" facility to ensure high connectivity to socket ground. Gold plated only	159.00 /pair
Brenda TopCat TC9 sockets Features: Option of Gold- or Silver-plated phono sockets	109.00 /pair
Brenda TopCat TC11 sockets Features: Option of Gold- or Silver-plated phono sockets	109.00 /pair

See www.wavelength-distribution.com/bocchino/index.html for more details.

Bedini Audio Compact Disc Clarifiers

The Bedini Audio CD Clarifier is one of those tools that, once used, cannot be dispensed with. Treat your CD's, SACD's and DVD's with this device and enjoy greatly improved sound quality and reduced artefacts.

Handheld model Features: 9volt battery operation (not supplied).	POA	POA /each
Handheld Dual Beam Junior model Features: 9volt battery operation (not supplied).	POA	POA /each
Ultra DUAL BEAM model Desktop model – excludes power supply.	POA	POA /each
Ultra QUADRI BEAM model Desktop model – excludes power supply.	POA	299.00 /each

See www.bedini.com for more details.

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - July 2011

S.R.P
(inc. VAT)/£

art:one Portable Folding Headphones

Compact and supplied with their own protective carry case, the art:one headphones have been designed to look good, sound good and not induce neck ache with extended listening. Ideal for use "on the go" with portable media players, they are equally at home used with laptops and tablets (if fitted with 3.5mm audio outputs). Foam pads are user replaceable. Fitted with rubberised Y-cable terminated in an angled 3.5mm mini-plug, featuring gold-plated contacts.

art:one

30.00 /pair

TM

Power Wraps RF Suppressors

Power Wraps turn your standard AC power cord into a High End power cable by reducing Radio Frequency Interference (RFI) and allowing you to tune your system. 3 types are available:

All Clear (0.328")	23.99 /pair
Power Wrap (0.375")	23.99 /each
Power Wrap (0.56")	23.99 /each

See [www . power-wrap . co . uk](http://www.power-wrap.co.uk) for more details.

Sonic Design Damping Feet

Sonic Design Damping Feet reduce the amount of vibration that enters or leaves your hi-fi and/or home cinema equipment, thereby isolating the product(s) from it's environment and allowing it to function to it's fullest capability.

CD/DVD Damping Feet Available in weight loading sizes of: 2-5 kg, 5-10 kg and 10-25 kg	11.99 /set of 5
Standard Centre Channel Damping Feet Available in weight loading sizes of: 0-12 kg, 12-28 kg, 28-50 kg and 50-100 kg	11.99 /set of 4
Standard Loudspeaker Damping Feet Available in weight loading sizes of: 0-12 kg, 12-28 kg, 28-50 kg and 50-100 kg	23.99 /set of 8
Audiophile Centre Channel Damping Feet Available in weight loading sizes of: 5-200 kg (model specific – front to back weight ratio of each speaker must be specified).	34.99 /set of 4
Audiophile Loudspeaker Damping Feet Available in weight loading sizes of: 5-200 kg (model specific – front to back weight ratio of each speaker must be specified).	69.99 /set of 8

See [www . sonicdesign . co . uk](http://www.sonicdesign.co.uk) for more details.

Distributed in the UK by:

Wavelength Distribution, Dencora Business Centre, Trinity Hall Farm Ind Est, Nuffield Road, CAMBRIDGE, CB4 1TG
Office Contact: Tim O'Malley: 07711 939 519

Skype: wavelength-uk Email: [sales @ wavelength-distribution.com](mailto:sales@wavelength-distribution.com) www.wavelength-distribution.com